

**MASTER**<sup>®</sup>  
CLIMATE SOLUTIONS



PROFESSIONAL CONDENSATION DEHUMIDIFIER

**DHP 55**

PORTABLE DRYERS IDEAL FOR RENTAL AND CONSTRUCTION COMPANIES

DANTHERMGROUP

# PROFESSIONAL CONDENSATION DEHUMIDIFIER

## DHP 55



**DHP 55**  
PATENT



Stackable



Easy to open for cleaning

The highly efficient DHP 55 dehumidifiers are ideal for small leaks, floodings and other drying tasks in construction, industrial or residential applications. Designed for professional use by rental companies, construction companies and more, the corrosion-resistant rotomoulded casing makes the units very sturdy and therefore perfect for a variety of challenging working conditions. Examples include areas such as basements, warehouses for food storage, archives, museums, libraries, garages and drying rooms. In general, it just comes in handy in connection with restoration after flooding or drying after construction work.

In contrast to most other portable dehumidifiers, the DHP 55 comes standard with an onboard, integrated water pump. It also has a digital control panel with an hour counter, a 3m drainage water hose and an optional 5l water tank.



- Water pump on board
- Digital humidity sensor
- Digital control panel with hour counter
- Stackable
- Easy to open and easy to clean
- 3 meters drainage water hose on board, easily fitted with Velcro strap
- 3 meters power cord
- Large rubber wheels for easy and safe move
- Optional 5 litres water tank



Rotomoulded technology is often used to make sturdy products such as kayaks and playground equipment.

### Optional accessories



**Water tank 5l**  
4250.320

# PROFESSIONAL CONDENSATION DEHUMIDIFIER

## DHP 55



Specifications	Units	DHP 55
Capacity (30°C/80% RH)	l/24h	45.9
Air flow	m <sup>3</sup> /h	400
Operating temperature range	°C	5-35
Operating humidity range	%	20-90
Power consumption	W	790
Power supply	V/Hz	220-240/1ph/50
Refrigerant	-	R290
Sound level	dB(A)	56
Pressure head of the pump	m	3
Product size (l x w x h)	mm	600 x 450 x 880
Box size (l x w x h)	mm	700 x 560 x 860
Net/gross weight	kg	47/52
Pallet	pcs	4
Dual voltage		Available

### Applications



Agriculture



Buildings and commercial spaces



Construction



Data centres and telecoms



General industry and production




Museum and gallery preservation



Rental companies



Storage, preservation and archives



Water damage restoration

**Dantherm A/S**

Marienlystvej 65  
DK-7800 Skive  
Denmark  
t. +45 96 14 37 00

**Dantherm Ltd.**

Unit 12, Galliford Road  
Maldon CM9 4XD  
United Kingdom  
t. +44 (0)1621 856611

**Dantherm GmbH**

Oststraße 148  
22844 Norderstedt  
Germany  
t. +49 40 526 8790

**Dantherm S.p.A.**

Via Gardesana 11  
37010 Pastrengo (VR)  
Italy  
t. +39 045 6770533

**Dantherm Sp. z o.o.**

ul. Magazynowa 5a  
62-023 Gądki  
Poland  
t. +48 61 65 44 000

**Dantherm SP S.A.**

C/Calabozos 6  
(Polígono Industrial)  
28108 Alcobendas, Madrid  
Spain  
t. +34 91 661 45 00

**Dantherm SAS**

23 rue Eugène Henaff  
69694 Vénissieux Cedex  
France  
t. +33 4 78 47 11 11

**Dantherm AS**

Løkkeåsveien 26  
3138 Skallestad  
Norway  
t. +47 33 35 16 00

**Dantherm AB**

Fridhemsvägen 3  
602 13 Norrköping  
Sweden  
t. +46 (0)11 19 30 40

**Dantherm LLC**

Transportnaya 22/2  
142800, Stupino  
Moscow  
Russia  
t. +7 (495) 642 444 8

**MCS China**

Unit 2B, No. 512  
Yunchuan Road  
Baoshang, Shanghai, 201906  
China  
t. +8621 61486668

**Termigo S.L**

Carrer dels Velluters, 18-2  
46980 Paterna, Valencia  
Spain  
t. +34 961 524 866

**AirCenter AG**

Täferstrasse 14  
CH-5405 Baden Dättwil  
Switzerland  
t. +41 43 500 00 50

**Heylo GmbH**

Im Finigen 9  
28832 Achim  
Germany  
t. +49 4202 97550

**SET Energietechnik GmbH**

August-Blessing-Straße 5  
Hemmingen, 71282  
Germany  
t. +49 7150 94540

Dealer:

KEEP UPDATED  
**FOLLOW US ON:**

