




WALL-MOUNTED/FLOOR-STANDING POOL DEHUMIDIFIERS

SET 1501-2501-3501 T

FOR SWIMMING POOLS, SPAS AND LEISURE CENTRES

SWIMMING POOL DEHUMIDIFIERS SET 1501-2501-3501 T

SET's new range of swimming pool dehumidifiers are energy-efficient, quiet, and a stylish addition to any private pool or spa.



SET 3501 T

The wall-mounted or floor-standing SET 1501-1201-1501 condensation dehumidifiers are stylish and elegant and have been designed to blend well with any modern pool interior.

Offering energy-efficient and near-silent humidity control, the units were conceived with a view to quality and ease of operation. Combined with highly efficient fans and compressors, the advanced remote control and monitoring options contribute to cost-efficient operation and significant energy savings.

Features

- Low sound level
- Low energy consumption
- Evaporator and condenser coils are epoxy coated
- Metal parts are powder coated before assembly
- Optional remote control
- Integrated control of heating and humidity
- BMS Communication (Modbus)

Applications

- Indoor pools
- Private pools
- Spa pools
- Wellness centres
- Therapy pools




Flexible installation – wall-mounted or floor-standing – to adapt to your requirements

SWIMMING POOL DEHUMIDIFIERS SET 1501-2501-3501 T




Performance data




Specific energy consumption (SEC):
0.47 kWh/l at 28°C & 60% RH



Perfect for indoor private pools and spas



Specific energy consumption (SEC):
0.48 kWh/l at 28°C & 60% RH



Specific energy consumption (SEC):
0.43 kWh/l at 28°C & 60% RH

Specifications	Units	SET 1501 T	SET 2501 T	SET 3501 T
Operating temperature range	°C	10-36	10-36	10-36
Operating humidity range	% RH	40-100	40-100	40-100
Dehumidification rate	kg/h	1.9	3.25	4.2
Air flow	m ³ /h	400	680	900
Sound pressure level	dB(A)	46	47	50
Power supply	V/Hz	230/1ph/50	230/1ph/50	230/1ph/50
Total connected load	kW	0.9	1.5	1.8
Fuse	A	3.8	6.6	8.0
Product size (w x d x h)	mm	1010 x 326 x 770	1160 x 326 x 770	1495 x 326 x 770
Weight	kg	56.5	65.0	75.5

Dantherm A/S

Marienlystvej 65
DK-7800 Skive
Denmark
t. +45 96 14 37 00

Dantherm Ltd.

Unit 12, Galliford Road
Maldon CM9 4XD
United Kingdom
t. +44 (0)1621 856611

Dantherm GmbH

Oststraße 148
22844 Norderstedt
Germany
t. +49 40 526 8790

Dantherm S.p.A.

Via Gardesana 11
37010 Pastrengo (VR)
Italy
t. +39 045 6770533

Dantherm Sp. z o.o.

ul. Magazynowa 5a
62-023 Gądki
Poland
t. +48 61 65 44 000

Dantherm SP S.A.

C/Calabozos 6
(Polígono Industrial)
28108 Alcobendas, Madrid
Spain
t. +34 91 661 45 00

Dantherm SAS

23 rue Eugène Henaff
69694 Vénissieux Cedex
France
t. +33 4 78 47 11 11

Dantherm AS

Løkkeåsveien 26
3138 Skallestad
Norway
t. +47 33 35 16 00

Dantherm AB

Fridhemsvägen 3
602 13 Norrköping
Sweden
t. +46 (0)11 19 30 40

Dantherm LLC

Transportnaya 22/2
142800, Stupino
Moscow
Russia
t. +7 (495) 642 444 8

MCS China

Unit 2B, No. 512
Yunchuan Road
Baoshang, Shanghai, 201906
China
t. +8621 61486668

Termigo S.L

Carrer dels Velluters, 18-2
46980 Paterna, Valencia
Spain
t. +34 961 524 866

AirCenter AG

Täferstrasse 14
CH-5405 Baden Dättwil
Switzerland
t. +41 43 500 00 50

Heylo GmbH

Im Finigen 9
28832 Achim
Germany
t. +49 4202 97550

SET Energietechnik GmbH

August-Blessing-Straße 5
Hemmingen, 71282
Germany
t. +49 7150 94540

Dealer:

KEEP UPDATED
FOLLOW US ON:

